INDEX

Page

Abbott, Chas. E.: Fruit-Bud Development in the Tung-Oil Tree 679–695
Abegg, F. A.: Some Effects of the Waxy Gene in Maize on Fat Metabolism 183–193
Acidity, maize seed and pollen, values, study 186–193
Aeration, water solutions, effects on growth of tobacco plants 374–378, 380
Age—
  hens, effect on weight of eggs 511–512
  Wheat Plants, Relation to Infection by *Puccinia triticina*, Greenhouse Studies: C. O. Johnston and L. E. Melchers 147–157
Aleurites fordi. *See* Tung-oil tree.
Aleurone layer, in cereal seeds, relation to symbiotic fungi 69–89
Alfalfa—
  calcium and phosphorus content, analytical results 116, 117
  injury by potato leafhopper, experimental results 659–661, 675
Alinement charts, use in construction of timber stand tables 289–308
Alkali, germicidal efficiency in washing solutions, study 521–561
Alkaline solutions—
  germicidal—
    effectiveness, comparison with hypochlorites 553–555
    properties, factors affecting, study 521–561
  hydrolysis of gelatin, factors affecting 555–558
Allium cepa. *See* Onion; Onions.
Anastrepha—
  fraterculus, description and hosts 496
  ludens, description and hosts 495–496
  serpentina, description and hosts 497–498
  striata, description and hosts 497
Anderson, M. S.: The Influence of Substituted Cations on the Properties of Soil Colloids 565–584
Angell, H. R.: Purple Blotch of Onion (*Macrosporium porri* Ell.) 467–487
Animals, Digestive Processes, Effect on Viability of Corn and Sorghum Smut Spores: C. H. Ficke and L. E. Melchers 633–645
Anthocyanin, occurrence in English rye-grass 82
Anthyllis vulneraria, injury by potato leaf hopper 666
Antisera, use in ranking of wheat hybrids 172–174, 175, 176–179
Aphanomyces—
  camptostylus, n. sp.—
    description 342, 359
    germination of oospores 341
    morphology of sex organs 336–341, 359
    origin and pathogenicity 335–336
    reproduction method 341–342
  cladogamus, n. sp.—
    description 335, 359
    introduction and history 329
    morphology of sex organs 329–333, 359
    reproduction method 333
  cochlioides—
    description 326
    distinction from related species 321–326, 358–359
    introduction and history 309–310
    isolation, method 310–312
    morphology 313–321
    pathogenicity on sugar beets 326–329, 359
    reproduction methods 313–321
  euteiches, distinction from related species 324–325, 329–333
  helicoides, distinction from *A. cochlioides* 324
  laevis, distinction from *A. cochlioides* 323–324

Page

Aphanomyces—Continued.
  raphani—
    distinction from related species 343–349, 359
    introduction and history 343
    morphology of sex organs 346–349
    reproduction method 346
  spp., cause of root diseases of sugar beets 309–310, 359
Aphodius granarius (Coleoptera), an Intermediate Host for *Hymenolepis carioca* (Cestoda): Myrna F. Jones 629–632
Apple—
  leaf hopper. *See* Potato leaf hopper.
  maggot, description and hosts 494–495
Apples, sprayed and unsprayed, injuries by codling-moth larvae 247–256
Arachis hypogaea, injury by potato leaf hopper 666
Armoracia rusticana. *See* Horse-radish.
Arsenicals, resistance of codling-moth strains to 247–256
Aspergillus sp., growth on sugar cane at low temperatures 201–202
Awnedness, in wheat hybrids, relation to yield and protein content 211, 212, 213, 214, 216
Awns, wheat, inheritance study 205, 206, 209–210, 211, 212, 214, 216

Bacillus—
  cereus, destruction in alkali washing solutions, experimental study 523, 527–528, 561
  coli, fungicidal action of ultra-violet rays 162–163, 166
Bacteria, destruction by alkaline washing solutions, experimental study 521–561
Bacterial leaf spot. *See* Leaf spot, bacterial.
Bacterial Stripe Disease—
  of Sorghum: Charlotte Elliott and Erwin F. Smith 1–22
  of sorghums—
    causal organism 1, 4–7
    comparison with similar diseases 13–20
    economic importance and distribution 20
    lesions 2–3
Bacterium—
  andropogoni—
    cause of bacterial stripe disease of sorghum 1, 4–7
    cultural characters 4–5
    host range 7–13
    morphology 4
    pathogenicity on sorghums 3–4
    physiology 5–7
  campestre, comparison with *B. campestre armoraciae* n. var., and *B. phaseoli* 278–284, 285
  campestre armoraciae, n. var.—
    comparison with *B. campestre* and *B. phaseoli* 278–284, 285
    cultural characters 276–284
    isolation 272
    technical description 284
  coli, destruction in alkali washing solutions, experimental study 523, 524–527, 558
  phaseoli—
    comparison with *B. campestre* and *B. campestre armoraciae* n. var 278–284, 285
    inoculation on horse-radish and cabbage, results 275–276
Bactrocera cucurbitae, larva and pupa, description 492
Bailey, Alice Allen, and Ramsey, G. B.: Development of Nailhead Spot of Tomatoes during Transit and Marketing 131–146
Barley—
  growth, stimulation by electricity, experiments 589–590, 598–600

Page

Barley—Continued.
inoculation with loose smut, injection method, results 623–624
loose smut, production by hypodermic injection of inoculum 623–624
seedlings, electric stimulation, effect on growth 589–590, 598–600
seeds, symbiotic fungi and their relation to protein content 70–71, 73–80, 85–86, 89
Bartholomew, R. P., and Janssen, George: The Translocation of Potassium in Tomato Plants and Its Relation to Their Carbohydrate and Nitrogen Distribution 447–465
Bates, Carlos G.; Hilton, Huber C.; and Krueger, Theodore: Experiments in the Silvicultural Control of Natural Reproduction of Lodgepole Pine in the Central Rocky Mountains 229–243
Beans—
garden, injury by potato leaf hopper, experimental results 666, 675
Lima, inoculation with *Bacterium campestre* 274, 275, 278, 285
soy. *See* Soy beans.
Beef—
and Pork, Antineuritic and Water-Soluble B Vitamins in: Ralph Hoagland 431–446
antineuritic vitamin in, comparison with pork 431–436, 444
water-soluble vitamins in, comparison with pork 439–441, 442, 443–446
Beet—
sugar. *See* Sugar beets.
Water Mold and Several Related Root Parasites: Charles Drechsler 309–361
See also Sugar beets.
Beetle, dung, intermediate host for tape worm 629–632
Beta vulgaris. *See* Sugar beets.
Birkeland, Jorgen M., and Nelson, Casper I.: A Serological Ranking of Some Wheat Hybrids as an Aid in Selecting for Certain Genetic Characters 169–181
Bladder worm, transmission to poultry by dung beetle 629–632
Blotch, purple. *See* Purple blotch.
Blue-mold rot, citrus, prevention by ultraviolet rays 165, 167
Bone chewing, in cattle, cause, study in Montana 113–129
Boric acid, effect on growth of tobacco plant, study 373–380
Boron—
Deficiency—
Effect on Growth of Tobacco Plants in Aerated and Unaerated Solutions: J. E. McMurtrey, jr 371–380
injuries to tobacco, description 377–378, 379
effect on citrus pigment 423–426
Botrytis sp., growth on sugar cane at low temperatures 201–202
Bottles, milk, cleaning and sterilizing, study of germicidal efficiency of solutions 521–561
Bovine leukemia. *See* Leukemia.
Brassica rapa. *See* Turnips.
Breeding—
chickens, for egg size 512–518, 519
corn, for factors affecting yield 505–509
wheat—
aid of serological ranking of hybrids 169–180
for leaf-rust resistance, importance 156
See also Crossbreeding.
Broomcorn, bacterial stripe disease, study 2, 3, 4–9, 11–12
Bruce, Donald, and Reineke, L. H.: The Use of Alinement Charts in Constructing Forest Stand Tables 289–308
Brush, burning, effect on reproduction of lodgepole pine 229, 230, 233–239, 243
Buffer index, influence on germicidal action of alkaline washing solutions 528–531, 551, 555–559, 561
Bunyea, Hubert, and Creech, Gilbert T.: Experimental Studies of Bovine Leukemia 395–404

Page

Cabbage, inoculation with *Bacterium campestre* 273–274, 275
Calcium—
content of forage—
grasses, comparison with phosphorus content 122–123, 127–128
plants, analytical results 115–117
in soils, effect on properties of colloids 578–579
phosphorus proportions for cattle forage 126
requirements of cattle 121–122
See also Lime.
Calves, calcium and phosphorus requirements 124–125
Cane, sugar. *See* Sugar cane.
Capillary Structure of Softwoods: Alfred J. Stamm 23–67
Carbohydrates, assimilation by tomato plants, relation to potassium content 452, 455–456, 458–460, 463
Carpocapsa pomonella. *See* Codling moth.
Carrots, resistance to Rhizoctonia rot 97
Cations, Substituted, Influence on Properties of Soil Colloids: M. S. Anderson 565–584
Cattle—
bone-chewing habits, study of cause 113–129
digestive processes, effect on viability of smut spores 635–636, 638–643, 644
leukemia. *See* Leukemia, bovine.
mineral deficiency, study of cause 113–129
Range, Forage Feeds, Phosphorus Deficiency: Samuel G. Scott 113–130
young, water consumption on range 125
Cauliflower, inoculation with *Bacterium campestre* 273–274, 275
Cedar—
Alaska, capillary structure, determination by dynamic physical methods 27–35, 39–41, 49, 51–53, 58–63
red, western, capillary structure, determination by dynamic physical methods 27–31, 32–35, 39–41, 49, 51–53, 58–63
Cells—
citrus, water-soluble and fat-soluble constituents, study 411–429
metabolic products, classes 412
Cephalosporium sacchari, growth on sugar cane at low temperatures 200–202
Ceratitis capitata, description and hosts 492–493
Cereal seeds—
aleurone layer, relation to symbiotic fungi 69–89
endosperm, penetration by symbiotic fungi 69, 89
protein content, relation to symbiotic fungi 69–89
Symbiotic Fungi and Their Relation to Cereal Proteins: S. L. Jodidi and Jaroslav Peklo 69–91
Cereals, Smut and Rust Production by Hypodermic Injection of Inoculum: Marion Griffiths Zehner and Harry B. Humphrey 623–627
Cestodes, poultry, transmission by dung beetle, study 629–632
Cherry maggot, description of larva and pupa 404
Chicken corn, inoculation with *Bacterium andropogoni*, notes 10, 11
Chickens—
breeding for egg size 512–518, 519
egg weight, inheritance 511–519
Rhode Island Red, inheritance of egg weight 511–519
tape worms—
control recommendations 632
transmission by dung beetle 629–632
Chlamydospores, smut, of corn and sorghum, viability, effect of digestive fluids 643
Citrus—
cytological studies 412–427
fruit, disinfection by ultra-violet rays, study 159–168
fruits, epidermal cells, study 414–418
pigments, cytological studies 412–427
tissues, cytological changes, causes 414

Citrus—Continued. Page
Water-Soluble and Fat-Soluble Constituents, Cytological Study: J. Dufrenoy ... 411–429
Cladosporium effusum—
(Wint.) Demaree, Behavior on Some Varieties of Pecan: J. B. Demaree and J. R. Cole ... 363–370
inoculation on pecan varieties, results ... 366–369
See also Pecan-scab fungus.
Clark, J. Allen, and Quisenberry, Karl S.: Inheritance of Yield and Protein Content in Crosses of Marquis and Kota Spring Wheats Grown in Montana ... 205–217
Clover—
as fertilizer, effect on sulphur leachings from soil ... 702–703, 706–707, 709, 710–711
growing, effect on outgo of sulphur from soils ... 706–707, 709, 710, 711
residues, effect on yield of millet ... 708
Clovers—
injury by potato leaf hopper, experimental results ... 654–659, 675–676
leaf-hopper injury, cause ... 672–674, 675–676
varietal resistance to potato leaf hopper ... 667–671
Coal dust, source of sulphur supply for soil ... 699, 709
Coblentz, W. W., and Fulton, Harry R.: The Fungicidal Action of Ultra-Violet Radiation ... 159–168
Codling moth—
control studies with Colorado, Virginia, and Washington strains ... 245–256
larvae—
Colorado, Virginia, and Washington strains, comparisons ... 247–255
Colorado-Virginia crosses, resistance to arsenical sprays ... 250–252, 255
Different Strains, Relative Resistance to Arsenical Poisoning, Studies: Walter S. Hough ... 245–256
resistance to arsenic, test methods ... 246–247, 252–254
Cold storage—
injury to sugar cane, experiments ... 195–203
temperatures, effect on germination of sugar cane ... 196–198
Cole, J. R., and Demaree, J. B.: Behavior of *Cladosporium effusum* (Wint.) Demaree on Some Varieties of Pecan ... 363–370
Colletotrichum falcatum, growth on sugar cane at low temperatures ... 200–202
Collins, G. N.; Flint, L. H.; and McLane, J. W.: Electric Stimulation of Plant Growth ... 585–600
Color, inheritance in hybrid oat plants, studies ... 647–648
Corn—
inoculation with—
Bacterium andropogoni, results ... 11, 12–13, 21
Puccinia sorghi, injection method, results ... 625
Recessive Defects and Yield: John B. Wentz and Samuel F. Goodsell ... 505–510
rust, production by hypodermic injection of inoculum ... 625
selfed lines, recessive abnormalities, effects on yield ... 505–509
smut—
consumption records of cattle and horses ... 636, 637, 638, 639, 640
spores, viability, effect of digestive processes of animals ... 633–644
yield, relation to recessive defects, study ... 505–509
See also Maize.
Cotton—
Acala, okra-leaved, origin and description ... 606
Boll, Development, Effects of Removal of Involucre: Thomas H. Kearney ... 381–393
bracts, removal, effects ... 384, 392, 393
Flowering Date, Correlation with Soil Salinity: J. Arthur Harris ... 109–112
flowers—
anthesis, relation to boll injury from mutilation ... 384–393
mutilation, effect on boll development ... 385–393
germination tests under irrigation in arid Southwest ... 601–619
Cotton—Continued. Page
lint index, effect of involucre removal ... 387, 388, 389, 390, 391, 392, 393
maturation, effect of involucre removal ... 385, 388, 389, 391
Pima, smooth-seeded, origin and traits ... 605–606
plant, involucre, physiological importance ... 381–382, 384, 389, 392–393
salt resistance, study ... 109–111
sea-island, Egyptian, and upland, seedling-stand production, comparison ... 604–619
seed development, effect of removal of involucre ... 385, 387–389, 390, 391, 392, 393
Seedling Stands, Production, A Criterion of the Differentiation of Varieties or of Experimental Areas with Respect to Their Capacity: J. Arthur Harris, George J. Harrison, and Edna K. Lockwood ... 601–621
seedlings, frequency distributions, criterion ... 601–619
varieties, seedling-stand—
differentiation test ... 601–619
production under irrigation, comparison ... 604–619
Cow, leukemic—
blood count and autopsy findings ... 396–399, 403
experimental study ... 395–404
Cowpeas—
injury by potato leaf hopper, experimental results ... 663–664, 675
varietal resistance to potato leaf hopper ... 669–670
Creech, Gilbert T., and Bunyea, Hubert: Experimental Studies of Bovine Leukemia ... 395–404
Crossbreeding—
natural, between oat plants of hybrid origin ... 647–648
wheat, Kota and Marquis, for yield and protein content ... 205–217
See also Breeding.
Cysticercoids, transmission to poultry by dung beetle ... 629–632
Cytology—
citrus, studies ... 412–427
See also Cells.

Dacus oleae, larva and pupa, description ... 493–494
Damping off, of sugar beets, causal organisms, identification ... 309–312, 359
Demaree, J. B., and Cole, J. R.: Behavior of *Cladosporium effusum* (Wint.) Demaree on Some Varieties of Pecan ... 363–370
Digestive fluids, effect on viability of smut spores ... 640–644
Disinfectants, germicidal strength, tests ... 533–549
Douglas fir. *See* Fir, Douglas.
Drainage, removal of plant-food elements from soil, study ... 697–711
Drechsler, Charles: The Beet Water Mold and Several Related Root Parasites ... 309–361
Drought, effect on sulphur leachings from soil ... 701, 703, 710
Dufrenoy, J.: A Cytological Study of Water-Soluble and Fat-Soluble Constituents of Citrus ... 411–429
Dung beetle, intermediate host for tape worm, study ... 629–632
Dwarfness in wheat, inheritance study ... 208–209, 212, 214–215, 216

Egg Weight—
Inheritance in Domestic Fowl: Frank A. Hays ... 511–519
relation to age of hen ... 511–512
Electric Stimulation of Plant Growth: G. N. Collins, L. H. Flint, and J. W. McLane ... 585–600
Electroendosmotic flow, in softwoods, indication of capillary structure ... 24–42, 65
Ellett, W. B., and Hill, H. H.: Effect of Lime Materials on the Outgo of Sulphur from Hagerstown Silt Loam Soil ... 697–711
Elliott, Charlotte, and Smith, Erwin F.: A Bacterial Stripe Disease of Sorghum ... 1–22
Embryo, maize, crude-oil yield and acid values, comparison ... 185, 186, 187, 190

Empoasca—
fabae. *See* Potato leaf hopper.
mali. *See* Potato leaf hopper.
Endosperm, maize seed, fat metabolism, study ... 184–193
Environment, effect on productivity of seed potatoes ... 405–410

Fat Metabolism, in Maize, Effects of the Waxy Gene on: F. A. Abegg ... 183–193
Fatty acids, in maize seeds, study in waxy gene ... 186–193
Feeds—
Forage, of Range Cattle, Phosphorus Deficiency: Samuel G. Scott ... 113–130
smutted, consumption by animals, and results ... 636–644
Fertilizers, sources of sulphur ... 698
Feterita, inoculation with *Bacterium andropogoni*, notes ... 11, 12
Ficke, C. H., and Melchers, L. E.: The Effect of the Digestive Processes of Animals on the Viability of Corn and Sorghum Smut Spores ... 633–645
Fir, Douglas—
capillary structure, determination by dynamic physical methods ... 27–28, 30–34, 37, 39–42, 49, 57–62
stand tables, construction, alinement charts for ... 294, 303–308
Fire, necessity in reproduction of lodgepole pine, discussion ... 230, 237
Flies, fruit. *See* Fruit Flies.
Flint, L. H.; McLane, J. W.; and Collins, G. N.: Electric Stimulation of Plant Growth ... 585–600
Flowering Date, Cotton, Correlation with Soil Salinity: J. Arthur Harris ... 109–112
Flowers, cotton, development, effect of involucre ... 385, 386, 388–392, 393
Fly, melon, larva and pupa, description ... 492
Fodder, smutted, feeding to animals, results ... 643–644
Forage plants—
calcium and phosphorus—
content, analytical results ... 115–117
proportions ... 126
pathological changes caused by potato leaf hopper ... 649–676
phosphorus deficiency, study in Montana ... 113–129
Forest—
management, natural reproduction of lodgepole pine, studies ... 229–243
Planting Stock, Development and Survival, Relation to Quantity of Seed Sown and Density of Seedlings: W. G. Wahlenberg ... 219–227
rotation. *See* Rotation, forest.
seedlings. *See* Seedlings, forest.
stand—
normal probability, study ... 290–291
Tables, Construction, Use of Alinement Charts: Donald Bruce and L. H. Reineke ... 289–308
variant types, plotting, difficulties ... 294–296
Forests, lodgepole pine, control of natural reproduction ... 229–243
Fowl, Domestic, Inheritance of Egg Weight: Frank A. Hays ... 511–519
Freezing points, sugar-cane juice, study ... 198–199
Frenching, effect on citrus pigment ... 418–423, 427
Frost resistance, forest seedlings, relation to density of stand ... 224–225, 227
Fruit—
Bud Development in Tung-Oil Tree: Chas. E. Abbott ... 679–695
Flies—
Larvae and Pupae, Characters: Charles T. Greene ... 489–504
10 species, key to larvae ... 490
10 species, key to pupae ... 490–491
fly—
Central American, description and hosts ... 497
dark, description and hosts ... 497–498
Mediterranean, description and hosts ... 492–493
olive, larva and pupa, description ... 493–494

Fruit—Continued.
fly—continued. Page
papaya, larva and pupa, description ... 491–492
West Indian, description and hosts ... 496
sprayed and unsprayed, injury by codling-moth larvæ ... 247–256
worm, Mexican, description and hosts ... 495–496
Fulton, Harry R., and Coblentz, W. W.: The Fungicidal Action of Ultra-Violet Radiation ... 159–168
Fungi—
growth on sugar cane at low temperatures ... 200–203
isolation from host tissues, method ... 310–312, 359
species, effect of ultra-violet rays ... 161–162
Symbiotic, of—
Cereal Seeds, and Their Relation to Cereal Proteins: S. L. Jodidi and Jaroslav Peklo ... 69–91
cereal seeds, isolation ... 69–71
cereals, contents, analysis ... 76–79, 84–89
Fungicide, ultra-violet radiation as, study ... 159–168
Fusarium sp., growth on sugar cane at low temperatures ... 200–202

Garber, R. J., and Hoover, M. M.: Natural Crossing between Oat Plants of Hybrid Origin ... 647–648
Gelatin, in alkaline solutions, hydrolysis rate ... 555–558
Genetic characters, in wheat, selection of hybrids for ... 169–180
Germs, destruction by alkaline washing solutions, experimental study ... 521–561
Globulin fractions, in wheat hybrids, indication of special characters ... 179, 180
Globulins, wheat, specificity study ... 170–176
Goodsell, Samuel F., and Wentz, John B.: Recessive Defects and Yield in Corn ... 505–510
Gossypium spp. *See* Cotton.
Grain sorghums, bacterial stripe disease, study ... 2, 3–11, 12
Grains, smutted, consumption by animals, and results ... 636–644
Grass sorghums, bacterial stripe disease, study ... 2, 3–11, 12
Grasses—
forage, calcium—
and phosphorus content, comparisons ... 122–123, 127–128
deficiency, study ... 114–129
root parasite, study ... 335–342
symbiotic fungi and their relation to protein content ... 69–89
Greene, Charles T.: Characters of the Larvae and Pupae of Certain Fruit Flies ... 489–504

Hainesia sp., killing effects of ultra-violet rays ... 161, 162
Harris, J. Arthur—
The Correlation between the Soil Salinity and Flowering Date in Cotton ... 109–112
Harrison, George J.; and Lockwood, Edna K.: A Criterion of the Differentiation of Varieties or of Experimental Areas with Respect to Their Capacity to Produce Seedling Stands of Cotton ... 601–621
Harrison, George J.; Harris, J. Arthur; and Lockwood, Edna K.: A Criterion of the Differentiation of Varieties or of Experimental Areas with Respect to Their Capacity to Produce Seedling Stands of Cotton ... 601–621
Hay, calcium and phosphorus content—
analytical results ... 115–117
relation to mineral disorders in cattle ... 122–123
Hays, Frank A.: The Inheritance of Egg Weight in the Domestic Fowl ... 511–519
Hemlock, western, capillary structure determination by dynamic physical methods ... 27–34, 36, 39–41, 49
Hens—
age, relation to size of eggs ... 511–512
inheritance of egg weight ... 511–519
Hicoria pecan. *See* Pecan.
Hill, H. H., and Ellett, W. B.: Effect of Lime Materials on the Outgo of Sulphur from Hagerstown Silt Loam Soil ... 697–711

Page

Hilton, Huber C.; Krueger, Theodore; and Bates, Carlos G.: Experiments in the Silvicultural Control of Natural Reproduction of Lodgepole Pine in the Central Rocky Mountains 229-243
Hoagland, Ralph: Antineuritic and Water-Soluble B Vitamins in Beef and Pork 431-446
Holcus sorghum. *See* Sorghum; Sorghums.
Hollowell, E. A., and Monteith, John, jr.: Pathological Symptoms in Legumes Caused by the Potato Leaf Hopper 649-677
Hoover, M. M., and Garber, R. J.: Natural Crossing between Oat Plants of Hybrid Origin 647-648
Hopper, potato leaf. *See* Potato leaf hopper.
Hordeum vulgare. *See* Barley.
Horse-Radish—
  Bacterial Leaf Spot Caused by *Bacterium campestre* var. *armoraciae*, n. var.: Lucia McCulloch 269-287
  inoculation with *Bacterium campestre* 272-273
  root diseases, description 271-272
Horses, digestive processes, effect on viability of smut spores 636-638, 640-643, 644
Hough, Walter S.: Studies of the Relative Resistance to Arsenical Poisoning of Different Strains of Codling Moth Larvae 245-256
Humidity, effect on Rhizoctonia rot of turnips in storage 105-106, 107-108
Humphrey, Harry B., and Zehner, Marion Griffiths: Smuts and Rusts Produced in Cereals by Hypodermic Injection of Inoculum 623-627
Hybrids—
  Oat Plants, Natural Crossing: R. J. Garber and M. M. Hoover 647-648
  wheat—
    Kotax Marquis, inheritance of yield and protein content 205-217
    reaction to leaf rust 148, 156, 157
    Serological Ranking as Aid in Selecting for Certain Genetic Characters: Casper I. Nelson and Jorgen M. Birkeland 169-181
Hydrostatic flow, in softwoods, indication of capillary structure 42-53, 65
Hydroxyl-ion concentration, effect on germicidal action of alkaline washing solutions, study 528-531, 535-551, 552-561
Hymenolepis carioca (Cestoda), an Intermediate Host, *Aphodius granarius* (Coleoptera): Myrna F. Jones 629-632
Hypochlorites, germicidal effectiveness, comparison with alkaline solutions 553-555

Inheritance—
  color, in hybrid oat plants, studies 647-648
  Egg Weight in Domestic Fowl: Frank A. Hays 511-519
  genetic characters in wheat, selection of hybrids for 169-180
  recessive defects in corn, study 505-509
  Yield and Protein Content in Crosses of Marquis and Kota Spring Wheats Grown in Montana: J. Allen Clark and Karl S. Quisenberry 205-217
Inoculation—
  animals, with bovine leukemia, experiments and results 401-404
  cabbage and cauliflower, with *Bacterium campestre* 273-274, 275
  cereals by—
    hypodermic injection, experimental results 623-627
    injection, method, advantages 627
  horse-radish, with *Bacterium campestre* 272-273, 274-275, 284, 285
  Matthiola sp., with *Bacterium campestre* 274
  onion plants, with *Macrosporium porri* 479-483
  sorghums, with *Bacterium andropogoni*, methods and results 3-4, 10-13, 21
  tobacco, with mosaic virus, method and results 259-262
  wheat, with leaf-rust fungus 149-150
Involucre, Cotton, Removal, Effects on Development of Boll: Thomas H. Kearney 381-393

Page

Janssen, George, and Bartholomew, R. P.: The Translocation of Potassium in Tomato Plants and Its Relation to Their Carbohydrate and Nitrogen Distribution 447-465
Jodidi, S. L., and Pekio, Jaroslav: Symbiotic Fungi of Cereal Seeds and Their Relation to Cereal Proteins 69-91
Johnston, C. O., and Melchers, L. E.: Greenhouse Studies on the Relation of Age of Wheat Plants to Infection by *Puccinia triticina* 147-157
Jones, Myrna F.: *Aphodius granarius* (Coleoptera), an Intermediate Host for *Hymenolepis carioca* (Cestoda) 629-632

Kafirs, inoculation with *Bacterium andropogoni*, notes 3, 10-11, 12
Kaoliang, inoculation with *Bacterium andropogoni*, notes 11, 12
Kearney, Thomas H.: Development of the Cotton Boll as Affected by Removal of the Involucre 381-393
Kreuger, Theodore; Bates, Carlos G.; and Hilton, Huber C.: Experiments in the Silvicultural Control of Natural Reproduction of Lodgepole Pine in the Central Rocky Mountains 229-243

Larvae—
  Codling-Moth, Different Strains, Relative Resistance to Arsenical Poisoning, Studies: Walter S. Hough 245-256
  fruit flies, characters, descriptions 491-501
Lauritzen, J. I.: Rhizoctonia Rot of Turnips in Storage 93-108
Leaf—
  hopper—
    injury to legumes, causes 671-674, 675-676
    potato. *See* Potato leaf hopper.
  rust, wheat. *See* Wheat leaf rust.
  Spot, Bacterial, of Horse-radish—
    Caused by *Bacterium campestre* var. *armoraciae*, n. var. Lucia McCulloch 269-287
    description 270-271
    See also Bacterium campestre armoraciae, n. var.; Horse-radish.
Legumes—
  injury by potato leaf hopper, study 649-676
  leaf-hopper injury—
    cause 672-674, 675-676
    effect of weather conditions 671-672, 676
  Pathological Symptoms in, Potato Leaf Hopper as Cause: John Monteith, jr., and E. A. Hollowell 649-677
  varietal resistance to potato leaf hopper 666-671
Lespedeza spp., injury by potato leaf hopper 666
Leukemia—
  Bovine—
    Experimental Studies: Gilbert T. Creech and Hubert Bunyea 395-404
    inoculation in other animals, results 401-402
  effect on tissues of cow 399-401
  symptoms in cow 396-399
  true, differentiation from pseudoleukemia 395, 404
Light, wave-lengths, fungicidal action, factors 166-167
Lima beans, inoculation with *Bacterium campestre* 274, 275, 278, 285
Lime—
  application to soils, effect on sulphur outgo 702, 703-711
  Materials, Effect on Outgo of Sulphur from Hagerstown Silt Loam Soil: W. B. Ellett and H. H. Hill 697-711
  See also Calcium.
Lint, cotton, effect of involucre removal on 387, 388, 389, 390, 391, 392, 393
Lipase, in corn endosperm, function 188, 189, 190, 191
Lockwood, Edna K.; Harris, J. Arthur; and Harrison, George J.: A Criterion of the Differentiation of Varieties or of Experimental Areas with Respect to Their Capacity to Produce Seedling Stands of Cotton 601-621
Lodgepole pine. *See* Pine, lodgepole.

Page

Lolium perenne. *See* Ryegrass.
Loose smut, barley, production by hypodermic injection ... 623–624
Lotus corniculatus, injury by potato leaf hopper, experimental results ... 664–665, 675
Lysimeter, use in study of soil leachings ... 699–711

McCulloch, Lucia: A Bacterial Leaf Spot of Horse-radish Caused by *Bacterium campestre* var. *armoraciae*, n. var. ... 269–287
McLane, J. W.; Collins, G. N.; and Flint, L. H.: Electric Stimulation of Plant Growth ... 585–600
McMurtrey, J. E., jr.—
Effect of Mosaic Disease on Yield and Quality of Tobacco ... 257–267
The Effect of Boron Deficiency on the Growth of Tobacco Plants in Aerated and Unaerated Solutions ... 371–380
Macrosporium—
disease of tomatoes. *See* Nailhead spot.
parasiticum, comparison with *Macrosporium porri* ... 484
porri—
cause of purple blotch of onions, study ... 470–485
comparison with *M. parasiticum* and *M. solani* ... 484–485
morphology ... 470–472
penetration of onion tissue ... 481–483
physiology ... 473–479
taxonomy ... 472–473
solani, comparison with *Macrosporium porri* ... 484–485
Maggot—
apple, description and hosts ... 494–495
cherry, description of larva and pupa ... 494
Maize—
embryo, crude oil yield and acid values, comparison ... 185, 186, 187, 190
Fat Metabolism, Effects of Waxy Gene on: F. A. Abegg ... 183–193
grain and pollen, starch reserves, effects of waxy gene on, study ... 183–193
growth, stimulation by electricity, experiments ... 588–600
seed, endosperm tissue, fat metabolism, study ... 184–193
seedlings, electric stimulation, effect on growth ... 588–600
storage, effect on acidity of waxy and nonwaxy grain ... 188–189
waxy—
and nonwaxy, crude-oil yield from grain and pollen ... 185–186
Gene, Some Effects on Fat Metabolism: F. A. Abegg ... 183–193
See also Corn.
Marketing, tomatoes, nailhead-spot development ... 131–145
Maryland—
rainfall at Upper Marlboro, summers, 1925–1927 ... 258
tobacco growing, effects of mosaic disease ... 257–267
Matthiola sp., inoculation with *Bacterium campestre* ... 274
Meat, antineuritic and water-soluble B vitamins in, study ... 431–446
Medicago sativa. *See* Alfalfa.
Mediterranean fruit fly, description and hosts ... 492–493
Melchers, L. E., and—
Ficke, C. H.: The Effect of the Digestive Processes of Animals on the Viability of Corn and Sorghum Smut Spores ... 633–645
Johnston, C. O.: Greenhouse Studies on the Relation of Age of Wheat Plants to Infection by *Puccinia triticina* ... 147–157
Melilotus suaveolens, injury by potato leaf hopper ... 662–663, 675
Melon fly, larva and pupa, description ... 492
Metabolism, Fat, of Maize, Effects of Waxy Gene on: F. A. Abegg ... 183–193
Mexican fruit worm, description and hosts ... 495–496
Milk bottles, cleaning and sterilizing, study of germicidal efficiency of solutions ... 521–561

Millet—
German, inoculation with *Bacterium andropogoni*, results ... 11, 12
growing, effect on outgo of sulphur from soils ... 705, 708–709, 710, 711
yield, effect of clover residues ... 708
Milos, inoculation with *Bacterium andropogoni*, notes ... 11, 12
Moisture, soil, effects on productivity of seed potatoes ... 407, 408–409, 410
Mold, water. *See* Water mold; Water molds.
Montana—
forage plants, phosphorus deficiency, study ... 113–129
wheat—
inheritance of yield and protein content, studies ... 205–217
Marquis and Kota, yields per acre, 1921–1925 ... 206
Monteith, John, jr., and Hollowell, E. A.: Pathological Symptoms in Legumes Caused by the Potato Leaf Hopper ... 649–677
Mosaic Disease, of Tobacco, Effect on Yield and Quality: J. E. McMurtrey, jr. ... 257–267
Moth, codling. *See* Codling moth.
Mycobacterium tuberculosis, destruction by washing solutions, temperature requirement ... 559
Myers, Robert Page: The Germicidal Properties of Alkaline Washing Solutions, with Special Reference to the Influence of Hydroxyl-ion Concentration, Buffer Index, and Osmotic Pressure ... 521–563

Nailhead spot, of tomatoes—
description and damage ... 131–132, 145
Development—
during Transit and Marketing: G. B. Ramsey and Alice Allen Bailey ... 131–146
factors affecting ... 140–141
rate, study ... 138–141
Nelson, Casper I., and Birkeland, Jorgen M.: A Serological Ranking of Some Wheat Hybrids as an Aid in Selecting for Certain Genetic Characters ... 169–181
Nitrogen—
assimilation by tomato plant, relation to potassium content ... 451, 453–455, 460–461, 463, 464
content of—
English ryegrass seed ... 77–79, 80–84, 87–89
symbiotic fungi of cereals ... 79, 84–89
Nursery planting, forest seedlings per square foot ... 227

Oat Plants of Hybrid Origin, Natural Crossing: R. J. Garber and M. M. Hoover ... 647–648
Olive fly, larva and pupa, description ... 493–494
Onion, Purple Blotch (*Macrosporium porri* Ell.): H. R. Angell ... 467–487
Onions, inoculation with purple blotch organism, experiments ... 479–481
Onobrychis viciaefolia, injury by potato leaf hopper ... 666
Orange pigment, effect of selenium salts ... 418
Oranges, disinfection by ultra-violet rays ... 159–168
Osmotic pressure, influence on germicidal action of alkaline washing solutions ... 528, 531–533, 551–552, 555–559, 561
Osteomalacia, in range cattle, cause and prevention ... 127–128

Papaya fruit fly, larva and pupa, description ... 491–492
Parasites, sugar-beet root, study ... 309–359
Peanut, injury by potato leaf hopper ... 666
Pecan—
scab, distribution, spread, and importance ... 364–365, 369
scab fungus—
adaptability to pecan varieties ... 365–370
physiologic specialization, study ... 365–370
See also *Cladosporium effusum*.

Pecan—Continued. Page
Varieties—
Behavior of *Cladosporium effusum* (Wint.) Demaree on: J. B. Demaree and J. R. Cole 363-370
inoculation with *Cladosporium effusum*, results 366-369
susceptibility to scab fungus, study 363-370
Peklo, Jaroslav, and Jodidi, S. L.: Symbiotic Fungi of Cereal Seeds and Their Relation to Cereal Proteins 69-91
Penicillium—
digitatum, killing by ultra-violet rays, study 159-168
italicum, killing effects of ultra-violet rays 160, 162
spp., growth on sugar cane at low temperatures 200-202
Phaseolus vulgaris, injury by potato leaf hopper, experimental results 666, 675
Phomopsis citri, killing effects of ultra-violet rays 161, 162, 166
Phosphorus—
availability in lime soils 123-124
calcium proportions for cattle forage 126
content of forage—
grasses, comparison with calcium content 122-123, 127-128
plants, analytical results 115-117
Deficiency in Forage Feeds of Range Cattle: Samuel G. Scott 113-130
requirements of cattle 121-122
Picea engelmanni. *See* Spruce, Engelmann.
Pigments, citrus, cytological studies 412-427
Pine—
lodgepole—
cutting, effect on reforestation 234, 236-237, 238-243
germination in forests, factors affecting 237, 239
Natural Reproduction, Silvicultural Control Experiments in the Central Rocky Mountains: Carlos G. Bates, Huber C. Hilton, and Theodore Krueger 229-243
slash burning, effect on seedling stand 229-230, 233-239, 243
shortleaf, frequency distribution, determination by alinement chart 299-303
western—
white, seedling density, relationships 220
222, 226
yellow, capillary structure determination by dynamic physical methods 27-28, 30-31, 33-34, 37, 39-42, 49, 58-59, 61
yellow, seedling density, relationship 219-220, 222, 225, 226
Pinus—
contorta. *See* Pine, lodgepole.
monticola. *See* Pine, western white.
ponderosa. *See* Pine, western yellow.
Plant—
food elements of soil, additions and losses, study 699-711
growth—
effect on sulphur outgo from soils 705-709, 710-711
Electric Stimulation: G. N. Collins, L. H. Flint, and J. W. McLane 585-600
nutrition, effect of boron deficiency, study in tobacco 371-380
Plants, capillary structure, study by dynamic physical methods 23-65
Plectospira—
gemmifera, n. sp.—
description 358
introduction and characteristics 349-350
reproduction methods 350-358
myriandra, distinction from *Aphanomyces* spp. 349-350, 359
Poisoning, Arsenical, of Codling-Moth Larvae of Different Strains, Relative Resistance, Studies: Walter S. Hough 245-256
Pollen, maize—
ether extracts, values, comparison in waxy and nonwaxy types 186-187
waxy and nonwaxy, crude-oil yields 185-186
Pork— Page
and Beef, Antineuritic and Water-Soluble B Vitamins in: Ralph Hoagland 431-449
antineuritic vitamin in, comparison with beef 431-436, 444
water-soluble vitamins in, comparison with beef 437-441, 444, 445
Potassium—
concentration, effect on growth of tomato plants, study 449-464
in soils, effect on properties of colloids 578-579
lability in tomato plant, study 447, 453-455, 456-457, 461-462
starvation, in tomato plants, symptoms 457-458, 460, 463
Translocation in Tomato Plants and Relation to Their Carbohydrate and Nitrogen Distribution: George Janssen and R. P. Bartholomew 447-465
Potato Leaf—
Hopper—
Cause of Pathological Symptoms in Legumes: John Monteith, jr., and E. A. Hollowell 649-677
host plants 650
hoppers, migration 674-675, 676
Potatoes—
maturation, effect of soil conditions on 407, 408, 409, 410
"running out," relation to environment, study 405-410
Seed—
Grown under Various Controlled Environmental Conditions, Relative Productivity: H. O. Werner 405-410
productivity study, methods 405-406
productivity under controlled environmental conditions 405-410
yields under different soil conditions 406-410
Poultry—
tape-worm infestation, control recommendations 632
See also Chickens.
Precipitation—
effect on phosphorus and calcium content of forage plants 120-121, 127, 129
in Montana grazing districts, growing season, 1925-1927 120
Precipitin tests, use in ranking wheat hybrids 172-174
Prolamin, occurrence in—
English ryegrass seed 74, 82-86, 89
symbiotic fungi of grasses 74, 84-86, 89
Proso, inoculation with *Bacterium andropogoni*, results 11, 12
Protein—
content of—
Kota and Marquis wheats in Montana 206-207
wheat, inheritance in Marquis × Kota hybrids 205, 206-207, 213-217
specificity, in wheat hybrids, study in serological ranking 170-176
Proteins—
cereal, relation of symbiotic fungi of seeds to 69-89
content of English ryegrass seed, study 78, 80-86, 89
occurrence in symbiotic fungi of cereals, determination 72, 74-75, 78, 79, 80, 84-86, 89
Pseudotsuga taxifolia. *See* Fir, Douglas.
Puccinia—
graminis tritici, inoculation on wheat by injection method, results 625-626
sorghi, inoculation on dent corn by injection method, results 625
triticina—
Wheat Infection, Relation to Age of Plants, Greenhouse Studies: C. O. Johnston and L. E. Melchers 147-157
See also Wheat leaf rust.
Pullets. *See* Hens.
Pupae, fruit flies, characters, descriptions 491-498, 502-503
Purple Blotch—
of Onion, (*Macrosporium porri* Ell.): H. R. Angell 467-487

Purple Blotch—Continued. Page
of onions—
causal organism, study 470–481
control 485
economic importance 468–469
symptoms 469–470
organism, generic names 472–473

Quisenberry, Karl S., and Clark, J. Allen: Inheritance of Yield and Protein Content in Crosses of Marquis and Kota Spring Wheats Grown in Montana 205–217

Radish, black-root parasite, study 343–349
Rain water, sulphur content, notes 699, 709
Rainfall—
Florida, Gainesville, record for six-months period 691
Maryland, Upper Marlboro, record for summers, 1925–1927 258
Ramsey, G. B., and Bailey, Alice Allen: Development of Nailhead Spot of Tomatoes during Transit and Marketing 131–146
Rations, cattle, mineral deficiency, study of cause 113–129
Reineke, L. H., and Bruce, Donald: The Use of Alinement Charts in Constructing Forest Stand Tables 289–308
Rhagoletis—
cingulata, larva and pupa, description 494
pomonella, description and hosts 494–495
Rhizoctonia—
rot, of turnips—
causal organism, study 95–97, 106
description 93–95
development, factors affecting 97–108
in Storage: J. I. Lauritzen 93–108
solani—
potato strains, comparison with turnip strain 95–96, 106
strains, inoculation on turnips 95–96, 99–108
turnip strain, pathogenicity and life history 95–97
Rhizopus, growth on sugar cane at low temperatures 200–202
Rhode Island Reds, inheritance of egg weight 511–519
Root rot, of sugar beets, causal organisms, identification 309–312, 359
Rot, Rhizoctonia. *See* Rhizoctonia rot.
Rotation, forest—
construction of stand tables for, study 289–308
definition 289
Rust—
corn, production by hypodermic injection of inoculum 625
leaf, of wheat. *See* Wheat leaf rust.
stem, of wheat, production by hypodermic injection 625–626
Rusts—
and Smuts, Production in Cereals by Hypodermic Injection of Inoculum: Marion Griffiths Zehner and Harry B. Humphrey 623–627
cereal, production by hypodermic injection of inoculum 623–627
Ryegrass—
seed, contents, analysis 75–78, 80–84, 87–88
seeds, symbiotic fungi and their relation to protein content 69–89

Sainfoin, injury by potato leaf hopper 666
Salinity, Soil, Correlation with Flowering Date in Cotton: J. Arthur Harris 109–112
Sartoris, George B.: Low-Temperature Injury to Stored Sugar Cane 195–203
Scott, Samuel G.: Phosphorus Deficiency in Forage Feeds of Range Cattle 113–130
Seed, forest, quantity sown, relation to density of seedlings 219–221
Seeding, natural, of lodgepole pine, discussion 229, 230, 238–239, 242
Seedling Stands, Cotton, Production, A Criterion of the Differentiation of Varieties or of Experimental Areas with Respect to Their Capacity: J. Arthur Harris, George J. Harrison, and Edna K. Lockwood 601–621

Seedlings— Page
barley, electric stimulation, effect on growth 589–590, 598–600
forest—
anatomical development, relation to density 222–223
density relationships 219–227
frost resistance, relation to seedling density 224–225, 227
growth, relation to density 226, 227
survival, relation to density 225–226
maize, electric stimulation, effect on growth 588–600
wheat, susceptibility to leaf rust, greenhouse studies 149–157
Seeds, cereal. *See* Cereal seeds.
Selenium salts, effect on citrus pigment 418, 428
Self-pollination, corn, effect on yield, study 505–509
Septoria, wheat, infection, note 156
Sera, use in ranking of wheat hybrids 169–180
Serological ranking, of wheat hybrids, aid in selection for genetic characters 169–180
Serums, use in ranking of wheat hybrids 169–180
Shade, effect on reproduction of lodgepole pine 231, 239, 243
Shallu, infection with *Bacterium andropogoni*, notes 3, 10, 11, 12
Shipping—
sugar cane, cold-storage recommendations 202–203
tomatoes, nailhead-spot development 133–138, 141–144, 145, 155
Slash, lodgepole pine, disposal, effect on seedling stand 229, 230, 233–239, 243
Smith, Erwin F., and Elliott, Charlotte: A Bacterial Stripe Disease of Sorghum 1–22
Smut—
loose, of barley, production by hypodermic injection 623–624
Spores—
Corn and Sorghum, Viability Effect of Digestive Processes of Animals on: C. H. Ficke and L. E. Melchers 633–645
survival in feces of cattle and horses 633–644
Smuts—
and Rusts, Production in Cereals by Hypodermic Injection of Inoculum: Marion Griffiths Zehner and Harry B. Humphrey 623–627
corn and sorghum, feeding, effect on animals 643–644
symbiotic, of cereals—
isolation of fungi 69–71
relation to protein content 69–89
Sodium—
in soils, effect on properties of colloids 578–579
solutions, germicidal efficiency, study 522–561
Softwoods—
Capillary Structure. Alfred J. Stamm 23–67
capillary structure—
determination by application of gas pressure and colloidal solutions 54–63, 65
determination by endosmotic flow, studies 24–42, 65
determination by hydrostatic flow, studies 42–53, 65
permeability to colloidal solutions 62–63, 65
tracheid lengths, measurement by electroendosmosis 38–39, 61, 64, 65
Soil—
colloids—
base-exchange capacity, discussion 581–582
experimental study, methods 567–569
properties, effect of saturation with different bases 570–579
Properties, Influence of Substituted Cations on: M. S. Anderson 565–584
ranges of alteration as shown by differences in properties of K, Ca, and Na preparations 578–579
electrical resistance, relation to flowering in cotton 110–111
Hagerstown Silt Loam, Outgo of Sulphur from, Effect of Lime Materials on: W. B. Ellett and H. H. Hill 697–711
leachings, sulphur content, experimental study 699–711

Soil—Continued. Page
moisture—
effects on productivity of seed potatoes 407, 408–409, 410
relation to fruit-bud differentiation 691–694
Salinity, Correlation with Flowering Date in Cotton: J. Arthur Harris 109–112
sulphur losses by drainage, experimental study 697–711
temperature effects on productivity of seed potatoes 406–407, 410
texture, effects on productivity of seed potatoes 409–410
Soils—
colloidal materials, chemical changes and exchangeable bases 567
grazing lands, calcium, phosphorus, and magnesium content 118–119, 128
lime, phosphorus availability, remarks 123–124
Sorghum—
bacterial—
lesions, description 2–3
Stripe Disease: Charlotte Elliott and Erwin F. Smith 1–22
inoculation with *Bacterium andropogoni*, results 3–4
smut spores, viability, effect of digestive processes of animals 633–644
Sorghums—
sweet, bacterial stripe disease, study 2, 3, 4–12
varietal resistance to bacterial stripe disease 7–13
Sorgos, bacterial stripe disease, study 2, 3, 4–12
Soy beans—
injury by potato leaf hopper, experimental results 663–664, 675
varietal resistance to potato leaf hopper 669–670
Spores, Smut, on Corn and Sorghum, Viability Effect of the Digestive Processes of Animals: C. H. Ficke and L. E. Melchers 633–645
Spraying, apples with lead arsenate, for codling-moth control, experiments 246–247
Sprays, arsenical, codling-moth resistance to, studies 246–247, 252, 254–255, 256
Spruce—
Engelmann—
seedling density, relationships 220–221, 223–225, 226
seedlings, measurements, weights, etc., at different densities 223
Sitka, capillary structure, determination by dynamic physical methods 27–34, 36, 39–42, 49, 57–63
Stamm, Alfred J.: The Capillary Structure of Softwoods 23–67
Stand Tables, Forest, Construction, Use of Alinement Charts: Donald Bruce and L. H. Reineke 289–308
Stem—
end rot, citrus, resistance to ultra-violet rays 165
rust, wheat, production by hypodermic injection of inoculum 625–626
Stock, inoculation with *Bacterium campestre* 274
Storage—
Rot, Rhizoctonia, of Turnips: J. I. Lauritzen 93–108
Sugar cane, Low-Temperature Injury: George B. Sartoris 195–203
tomatoes, nailhead spot, development 138–141
turnips, effect on development of Rhizoctonia rot 104–108
Stripe disease, bacterial. *See* Bacterial stripe disease.
Subsoil, additions, effect on sulphur losses from soils 709, 710, 711
Sudan grass, bacterial stripe disease, study 3–10, 11, 12
Sugar beets—
inoculation with *Aphanomyces* spp., results 328–329, 359
root diseases, causal organisms, identification 309–312, 359
Sugar cane—
disease resistance, effect of temperature 200–203
germination, effect of low temperatures 196–198, 202–203
Sugar cane—Continued. Page
inoculation with *Bacterium andropogoni*, results 13, 21
juice, freezing point 198–199, 203
parts, freezing points and resistance of juice 198–199
resistance to low temperatures 199–200
root parasite, study 349–358
Stored, Injury by Low Temperature: George B. Sartoris 195–203
Sulphur—
annual leachings from Hagerstown silt loam 702
in soil, sources of supply 698
Outgo from Hagerstown Silt Loam Soil, Effect of Lime Materials on: W. B. Ellett and H. H. Hill 697–711
removal from soil by drainage, experimental study 697–711
Sunlight, fungicidal action, comparison with ultra-violet rays 166
Sweet clover, injury by potato leaf hopper, experimental results 662–663, 675
Symbiosis, of cereal seeds, study 69–89

Tapeworms, transmission to poultry by dung beetle 629–632
Temperature—
effect on growth of *Rhizoctonia solani* 97–108
effects on germination and growth of *Macrosporium porri* 476–478, 481
Low, Injury to Stored Sugar cane: George B. Sartoris 195–203
Temperatures, soil, effects on productivity of seed potatoes 406–407, 410
Tetranichus citri punctures, effect on cells of citrus 426–427
Timber—
frequency distribution, plotting 292–296
stand tables, construction, use of alinement charts 289–308
yield tables, inadequacy for rotation problems 289
Tobacco—
blister, mosaic, occurrence and damage 262
dwarfing, from mosaic infection 261, 262
inoculation with mosaic virus, effect on yield and value 259–262
Maryland Broadleaf, yield and quality, effect of mosaic disease 257–267
Mosaic—
Disease, Effect on Yield and Quality: J. E. McMurtrey, jr 257–267
injury, description 261–267
plants—
boron deficiency, description of injuries 377–378, 379
breakdown of terminal bud, cause, study 371–380
Growth in Aerated and Unaerated Solutions, Effect of Boron Deficiency: J. E. McMurtrey, jr 371–380
injuries from boron deficiency, distinction from those of calcium deficiency 378, 379
Yield and Quality, Effect of Mosaic Disease on: J. E. McMurtrey, jr 257–267
Tomato—
plants—
carbohydrate assimilation, relation to potassium content 452, 455–456, 458–460, 463
chlorosis, prevention 449
effect of potassium deficiency on, study 449–464
nitrogen assimilation, relation to potassium content 451, 453–455, 460–461, 463, 464
nutrition studies 447–464
Translocation of Potassium and Its Relation to Their Carbohydrate and Nitrogen Distribution: George Janssen and E. P. Bartholomew 447–465
root parasite, study 329–335
Tomatoes—
green, susceptibility to nailhead spot 143–144, 145
loss from nailhead spot 132
maturity, relation to development of nailhead spot 143–144, 155
Nailhead Spot, Development during Transit and Marketing: G. B. Ramsey and Alice Allen Bailey 131–146

Tomotoes—Continued. Page
shipping, nailhead-spot development 133-138, 141-144, 145, 155
size, relation to development of nailhead spot 141-143
storage, nailhead spot, development 138-141
Toxotrypana curricauda, larva and pupa, description 491-492
Tracheid lengths in softwoods, measurement by electroendosmosis 38-39, 61, 64, 65
Transit. *See* Shipping.
Trees—
forest—
skewed frequency distributions, plotting 294-296, 298
stand tables, construction, use of alinement charts 289-308
See also Seedlings.
Trifolium spp., injury by potato leaf hopper, experimental results 654-659, 675-676
Triticum vulgare. *See* Wheat.
Tung-oil tree—
cultural methods 680
Fruit-Bud—
Development: Chas. E. Abbott 679-695
differentiation, time, factors affecting 689-694
Turnips—
infection with Rhizoctonia rot, occurrence 97, 106
inoculation with *Rhizoctonia solani*, results 95-97
Rhizoctonia—
infected, decay in storage 98-108
Rot in Storage: J. I. Lauritzen 93-108
varieties, susceptibility to Rhizoctonia rot 97

Ultra-Violet Radiation, Fungicidal—
Action: Harry R. Fulton and W. W. Coblentz 159-168
effectiveness, discussion 166-167
Ustilago—
nuda, production by hypodermic injection 623-624
zeae, spores, viability, effect of digestive fluids 641-644

Vetch, kidney, injury by potato leaf hopper 666
Vicia spp., injury by potato leaf hopper 666
Vitamin—
antineuritic, in—
beef and pork, comparison 431-436, 444
yeast, study 434-436
water-soluble, in yeast, study 441, 442, 444-446
Vitamins—
B, Antineuritic and Water-Soluble, in Beef and Pork: Ralph Hoagland 431-446
water-soluble, in beef and pork, comparison 436-446

Wahlenberg, W. G.: Relation of Quantity of Seed Sown and Density of Seedlings to the Development and Survival of Forest Planting Stock 219-227
Washing—
powders, commercial, germicidal action, study of factors affecting 521-561
Solutions—
Alkaline, Germicidal Properties, with Special Reference to Influence of Hydroxyl-ion Concentration, Buffer Index, and Osmotic Pressure: Robert Page Myers 521-563
dilution, effect on germicidal properties 526-527
hydroxyl-ion concentration, effect on germicidal action 528-531, 535-551, 552-561
temperature, effect on germicidal properties 524-526, 558-559
Water—
calcium supply for range cattle 125
hot, treatment of sugar cane, effect on germination 196, 197, 198, 202
Mold, Beet, and Several Related Parasites: Charles Drechsler 309-361

Water—Continued. Page
molds, root-inhabiting, measurements of oogonia and oospores 322, 325
Waxiness in maize grains, effect on oil content, study 183-193
Waxy Gene, in Maize—
Effects on Fat Metabolism: F. A. Abegg 183-193
nature and activities, discussion 190-191, 192-193
Weather conditions, effect on leaf-hopper injury 671-672, 676
Wentz, John B., and Goodsell, Samuel F.: Recessive Defects and Yield in Corn 505-510
Werner, H. O.: Relative Productivity of Seed Potatoes Grown under Various Controlled Environmental Conditions 405-410
West Indian fruit fly, description and hosts 496
Wheat—
antigens, precipitability with antiserum, discussion 178-179
genetic characters, selection of hybrids for 169-180
Hybrids—
Genetic Characters, Selection by Aid of Serological Ranking: Casper I. Nelson and Jorgen M. Birkeland 169-181
inheritance of yield and protein content, study 205-217
protein content, inheritance study in Montana 205, 206-207, 213-217
ranking by absorption tests 174-178
ranking by precipitin tests 172-174
relationship determination by serological method 170-180
yield, inheritance study in Montana 205, 206, 210-212, 215-217
inoculation with leaf and stem rust, injection method, results 625-626
Kota × Marquis, correlation of yield and protein content 215-217
leaf-rust—
infection, relation to age of plants, greenhouse studies 147-157
production by hypodermic injection of inoculum 625-626
Plants—
Age, Relation to Infection by *Puccinia triticina*, Greenhouse Studies: C. O. Johnston and L. E. Melchers 147-157
parts, resistance to leaf-rust infection 153-155, 156
seeds, symbiotic fungi and their relation to protein content 70-79, 85-87, 89
Spring—
Crosses of Marquis and Kota Grown in Montana, Inheritance of Yield and Protein Content: J. Allen Clark and Karl S. Quisenberry 205-217
yield and protein content, inheritance in hybrids 205-217
stem rust, production by hypodermic injection of inoculum 625-626
varieties—
genetic characters, indication by precipitin tests 172-174, 178-180
reaction to leaf rust, greenhouse studies 148-156
Wheats, Marquis and Kota, yields in Montana, 1921-1925 206
Wood—
capillary structure, study by dynamic physical methods 23-65
structure, microscopic study, limitations 64-65
Woods, soft. *See* Softwoods.
Worms, parasitic, of poultry, transmission by dung beetle 629-632

Yeast, source of—
antineuritic vitamin, study 434-436
water-soluble vitamins, study 441, 442, 444-446

Zehner, Marion Griffiths, and Humphrey, Harry B.: Smuts and Rusts Produced in Cereals by Hypodermic Injection of Inoculum 623-627